

THE IMPOERTANCE OF CONVERSATION IN PRENATAL CARE

STEFANÍA B. ARNARDÓTTIR FAMILY NURSE SPECIALIST, MSC ICELAND 6.-7. DECEMBER 2022







• THE IMPORTANCE OF CONVERSATION - RELATIONAL BASED INTERVENTION CAN HELP?

■WE HAVE GUIDELINES IN ANTENATAL CARE:

- Physical
- Emotional (Whooley questions)
- Psycosocial (transitional period)
 - How to identify need for service?
- Solihull Approach (from UK) <u>Antenatal | Solihull Approach (solihullapproachparenting.com)</u>
- Newborn Behavioral Observation (NBO, from USA)



THE IMPORTANCE OF THE FIRST 1000 DAYS

NORDISK MINISTERRÅD
 NORD2021-037
 (NORDEN.ORG)


• 2019-2022

Iceland Liechtenstein
Norway grants



The Heckman Equation:

Investing in early childhood development builds the human capital we need for economic success.










WHAT IS THE SOLIHULL APPROACH



- ► IT BRINGS TOGETHER 3 THEORIES TO PROVIDE A WAY OF THINKING ABOUT RELATIONSHIPS
 - CONTAINMENT PSYCHOANALYSIS
 - RECIPROCITY CHILD DEVELOPMENT
 - BEHAVIOUR MANAGEMENT BEHAVIOURISM
- ►IT SUPPORTS PROFESSIONALS IN THEIR WORK WITH PROSPECTING PARENTS, CHILDREN AND FAMILIES







The Solihull Approach -

Containment





Psychoanalytic theory (Bion)



Child Development research (Brazelton)

Behaviour management


Behaviourism (Skinner)






CONTAINMENT AND THE BRAIN











CONTAINMENT: BRAIN OF A PARENT WITH OVERWHELMING WORRIES













• HELPS MIDWIFES/PROFESSIONALS TO HAVE THE SPACE TO THINK ABOUT THE PROSPECTING MOTHER / FAMILY

- What are they thinking, expecting or worried about
- How can the midwife help them to cope and adjust
- Put things in words
- Normalize
- Refer to specialist service if needed







CONTAINMENT AND PRENATAL CARE


- ■SUPPORTS MIDWIFES THROUGH CONTAINING
 - listening to the family "story"
 - intervene early
 - listening and reflect
- SUPPORTS MIDWIFES TO HELP THE PARENTS COPE WITH ANXIETY AND WORRIES SO THEY CAN BE FREE TO ADJUST TO PARENTHOOD
- ► MIDWIFES NEED CONTAINMENT REGARDING THE EMOTIONAL ASPECTS OF THEIR WORK FOR THEIR OWN WELLBEING!!
- ► LEADERS AND MANAGERS NEED CONTAINING TOO!
















NBAS TIL NBO, NEWBORN BEHAVIORAL OBSERVATION











THE GOAL WITH NBO

- UNDERSTAND THE UNIQUENESS OF THE NEWBORN CHILD
- BE ABLE TO TRANSLATE YOUR KNOWLEDGE ABOUT THE CHILD TO THE PARENTS
- TO SUPPORT A POSITIVE RELATIONSHIP BETWEEN THE PARENTS AND THE CHILD
- TO ESTABLISH A GOOD ALLIANCE BETWEEN PARENTS AND HEALTH WORKERS







KNOWLEDGE NEEDED TO SEE THE INFANT

THE TWO CLINICAL WINDOWS:

- 6 STAGES OF CONCIOUSNESS
- AMOR-SYSTEM
 - Autonomic reactions
 - Motor skills
 - Organization of states
 - Responsiveness to stimulation







6 STAGES OF CONSCIOUSNESS

- DEEP SLEEP (NON-REM)
- LIGHT SLEEP (REM)
- DROWSY
- QUIET ALERT
- ACTIV ALERT (FUSSY)
- CRYING






Figure 4.9 Developmental Challenges Facing the Newborn: The AMOR Hierarchy of Newborn Behavioral Organization

Source: Based on Nugent et al, 2007.

Liechtenstein Norway grants







STRUCTURED OBSERVATION OF THE CHILD TOGETHER WITH THE PARENTS WHICH CONTRIBUTES TO:




IDENTIFY THE CHILD'S STRENGTHS AND DEVELOPMENTAL CHALLENGES

INTERPRETING THE CHILD'S BEHAVIOR TOWARDS THE FAMILY AS WE HELP THEM GET TO KNOW THEIR CHILD


THE OBSERVED BEHAVIOR GIVES US IMPORTANT INFORMATION ABOUT THE INFANT'S EFFORTS, -WHEN IT SUCCEEDS AND WHEN IT FAILS IN ITS ATTEMPTS AT SELF-REGULATION

THE DISORGANIZED CHILD

- ... WHEN THE INFANT IS EXPOSED TO TOO MUCH OR TOO LITTLE STIMULATION, THE CHILD WILL FALL OUTSIDE HIS TOLERANCE WINDOW
- WHEN THE THRESHOLD TO SELF-REGULATION IS EXCEEDED AND AVOIDANCE BEHAVIORS ARE OBSERVED
 - D`Apolito, 1991



Iceland Liechtenstein
Norway grants












Karolina Isio-Kurpińska and Bożena Cieślak-Osik









THANK YOU

